



10072011.052002

COPY OF PAPERS
ORIGINALLY FILED

Docket 98408

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Donald R. Vinding

Serial No.: 10/072,011

Filed: February 7, 2002

For: RETRACTABLE REEL FOR
FLEXIBLE TUBINGCommissioner of Patents and Trademarks
Washington, D.C. 20231

Attention: Official Draftsman

Group Art Unit: 3653

Examiner: Not Known

TRANSMITTAL OF CORRECTED DRAWINGS

Dear Sir:

In response to the Notice to File Corrected Application Papers dated March 7, 2002, enclosed are corrected drawings (4 sheets) for filing in the above-identified U.S. Patent Application.

Respectfully Submitted,

Roy A. Ekstrand
Registration No. 27,485
Attorney for the Applicant3158 Redhill Avenue, Ste. 150
Costa Mesa, California 92626
(714) 662-7733Date: May 7, 2002

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first-class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231, on May 7, 2002


By: Roy A. Ekstrand

Signature:

Date: May 7, 2002



M-E



10072011.052002
Page 1 of 1

COPY OF PAPERS
ORIGINALLY FILED

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/072,011	02/07/2002	Donald R. Vinding	98408

CONFIRMATION NO. 1969

FORMALITIES LETTER



OC00000007600680

ROY A. EKSTRAND
3158 REDHILL AVE., STE 150
COSTA MESA, CA 92626

Date Mailed: 03/07/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

B. Habteabold

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE